

# General Index

## A

- $\alpha$ -hydroxysteroid dehydrogenase, 26
- Abudefduf saxatilis*, 301
- Acanthodesia*, 230
  - tenuis*, 230, 282-3
- Acclimation temperature, 172, 178-9
- Acer rubrum*, 189
- Acetylcholine, 49-50
- Acetylcholinesterase, 20, 23, 25-6
- Acrida cannabina*, 191, 198
- Acorus calamus*, 198
- Aequipecten irradians*, 65
- Aequoria aequoria*, 176
- Aglaodiaptomus*, 194
- Aiptasiomorpha luciae*, 90, 231
- Alcyonidium verrilli*, 230
- Alwife, 74, 78, 81, 84-5, 302
- Algae, 95
  - brown, 211
  - microthallus, 212-4
  - red, 283
- Algal productivity, 28
- Alona* sp., 192
- Alonella* sp., 192
- Alosa aestivalis*, 75, 77, 79-80, 298, 302
  - pseudoharengus*, 74-5, 77, 79-80, 209, 302
  - sapidissima*, 207, 298
- Alpheus heterochaelis*, 241
  - normanni*, 240-1
- Aluterus schoepfi*, 301-2
- American eel, 76, 139, 165-6, 168-9
  - oyster, 65-6
  - growth, 65
  - shad, 207-10, 298-300
  - salinity tolerance, 208
- Ammonia, 111
- Ampelisca* sp., 90, 94
  - abdit*, 90, 263-5, 268
  - vadorum*, 90, 263-5, 268
- Amphidinium carteri*, 48-50
  - klebsii*, 48
  - rynchocephalum*, 48
- Amphiodia atra*, 233
- Amphipods, 76, 78, 81, 84-5, 89, 92, 95-6
- Amphiporus caecus*, 91
  - ochraceus*, 91
- Ampithoe longimana*, 89-90, 92, 268
- Anachis avara*, 91
- Anadara ovalis*, 233
  - transversa*, 90, 233
- Anchoa mitchilli*, 75, 77, 79-80
- Anderson, W. D., Jr., and D. M. Cupka, 295-8
- Andrews, J. D., 223-34
- Anemones, 231
- Anguilla rostrata*, 75-7, 79-80, 139, 166
- Anguilla palmata*, 230
- Anoplarchus purpureus*, 300
- Anuraeopsis fissa*, 191
- Apeltes quadracus*, 96
- Aplysia californica*, 50
  - vaccaria*, 50

- Apogon*, 301
- Arenaeus cribrarius*, 254
- Arsenic, 25
- Artemia salina*, 42, 55, 292
- Ascidian, 67
- Atherina boyeri*, 302
- Atlantic croaker, 76, 78, 81, 85
  - menhaden, 74, 78-9, 81, 84-5, 146
  - needlefish, 301
  - silverside, 76, 81, 146
- ATP, 4, 8-9
- Atriplex patula*, 198
- Aurand, D., and F. C. Daiber, 105-11
- Aurelia aurita*, 55, 57, 176-8
- Austin, H. M., 222
  - and C. R. Hickey, Jr., 146-7

## B

- Baccharis halmiflora*, 199-200
- Bacterial count, 7-8
- Bairdiella chrysura*, 75-80, 166
- Balanus improvisus*, 89-90, 92, 94-6, 224
- Banta, W. C., and J. D. Soule, 62-4
- Barnacles, 92, 95, 224, 271, 275, 277
- Basophils + eosinophils, 22-3
- Batea catharinensis*, 90
- Bathygobius*, 301
- Bay anchovy, 75-6, 78, 81, 84-5
  - scallop, 65-6
- Bean, G. A., M. Fusco, and W. L. Klarman, 279-80
- Bioassay, 18, 24
- Biomass, 89, 92
- Bittium varium*, 89-90, 93, 95, 263-5
- Black crappies, 140
- Blueback herring, 74, 78-9, 81, 84-5, 298, 300, 302
- Blue crab, 17, 51, 53-4, 68, 76, 78, 81-2, 84-5, 143-5, 163, 167-70, 224, 233, 289
  - chela, 68
  - juvenile, 51-4
  - larvae, 52
  - mature, 52
  - megalopa, 52
  - zoeae, 52
- Bluefish, 166
- Bluegills, 140
- Blue mussel, 65-6
- Boon, D. D., 143-4
- Boon, J. D., III, and R. J. Byrne, 217-9
- Boring sponge, 228-9
- Bostrichobranchius pilularis*, 68
- Botryllus schosseri*, 94, 229-30
- Bougainvillea rugosa*, 231
- Bowerbankia gracilis*, 93, 230
- Boynton, W. R., and C. W. Keefe, 117-23
- Brachidontes recurvus*, 224
- Brania clavata*, 90, 268
- Brevortia patronus*, 112
  - tyrannus*, 51, 74-5, 77, 79-80, 112-3, 146

- Brook trout, 25
- Brown algae, 211
  - bullhead, 139-40, 166
  - shrimp, 76
- Bryozoan, 93-5, 230, 283
- Bugula*, 64
- Butterfish, 205-7
- Byrne, R. J., and J. D. Boon III, 217-9

## C

- C-14, 3
- Cadmium, 20-1, 25, 65
- Calcereous bryozoa, 62-4
- Callianassa*, 149-58, 243, 253
  - atlantica*, 149, 153-5, 159, 243
  - biformis*, 149, 150-2, 159, 243
  - major*, 149-50
  - stimpsoni*, 243
- Callinectes* sp., 52, 236, 254, 283
- sapidus*, 17, 43, 51, 75-7, 79-80, 91, 143-4, 179, 289-91, 249-50, 255
- Callipallene brevis*, 90
- Callitriche heterophylla*, 191, 194
- Cancer, 239
  - irroratus*, 48-50, 245, 254-5
- Canthocamptus staphylinoides*, 191-2
- Caprella equilibra*, 91
  - penantis*, 89, 90, 92
- Caranx hippos*, 301
- Carbamates, 25
- Carbon dioxide, 189-90
- Carp, 165-66, 169
- Carriker, M. R., and D. Van Zandt, 285-88
- Cassiopea frondosa*, 176
- xamachana*, 174, 176-8
- Catalase, 20, 24-5
- Catfish, 25, 165-6, 168
- Cephalodella*, 191
- Ceriantheopsis americanus*, 233
- Ceriodaphnia pulchella*, 193
  - quadrangula*, 191-4
  - reticulata*, 193-4
  - sphaericus*, 192
- Chaetodon ocellatus*, 301
- Channel catfish, 11-5, 166
- Chara* sp., 191
- Chittenden, M. E., Jr., 207-10
- Chlorophyll *a*, 3, 6-7, 9
- Chromatophores, 41, 43-6
- Chromium, 20-1, 25, 65
- Chrysaora hysocello*, 176
  - quinquecirra*, 172-9
- Chydorus sphaericus*, 191-2, 194
- Clibanarius vittatus*, 254
- Cliona celata*, 228-9
- Clymenella torquata*, 274
- Coleoptera, 75-7, 79-80, 85
- Colomastix* sp., 90
- Colurella* sp., 191
- Compsonema sporangiiferum*, 211
- Connell, M. U., and R. G. Rhodes, 211-5

- Conopeum lacinosum*, 283-4  
*seurati*, 272, 274, 284  
*tenuissimum*, 270-7, 282-4  
 Copper, 20-1, 24-5, 65, 143  
 Coral, 231  
*Cornus florida*, 199  
*Corophium acherusicum*, 90  
*simile*, 90  
*tuberculatum*, 91  
 Coyne, J. A., 55-8  
 Crab, 292  
 Crabbing pressure, 167  
 Crab larvae, 292  
 mortality, 293-4  
 rate of development, 293  
 zoea, 292-4  
*Crangon* sp., 203  
*crangon*, 141, 203  
*sepiemspinosa*, 91, 141, 201-4, 239,  
 242-3, 253-4  
*Crassostrea virginica*, 65  
*Cratena pilata*, 91  
*Crepidula convexa*, 89-90, 92, 94-5  
*plana*, 91  
 Crevalle jack, 301  
 Croaker, 166  
*Cryptochironomus*, 139  
*Cucumaria pulcherrima*, 233  
 Cunner, 302  
 Cupka, D. M., and W. D. Anderson,  
 295-8  
 Current speed sensor, 218  
 velocities, 29, 32-3  
*Cyanea capillata*, 171, 175-8  
*Cyathura burbancki*, 264  
*Cyclops vernalis*, 191-3  
*Cymadusa compta*, 90, 92, 95, 268  
*Cynoscion regalis*, 75, 77, 79-80, 145,  
 166  
*Cyperus strigosus*, 191  
 Cyphonautes larvae, 272  
*Cyprinus carpio*, 166

## D

- Daiber, F. C., and D. Aurand, 105-11  
 and P. deWitt, 28-40  
*Daphnia catawba*, 191-2  
*laevis*, 191-2, 194  
 deWitt, P., and F. C. Daiber, 28-40  
*Diadumene leucolena*, 91, 231  
*Diapterus*, 222  
*olisthostomus*, 222  
*plumieri*, 145, 222  
*rhombus*, 222  
*Diaptomus*, 194  
*birgei*, 191-5  
*connipedatus*, 194  
*nudus*, 194  
*pallidus*, 194  
*reighardi*, 194  
*sanguineus*, 191-5  
*stagnalis*, 194  
 Diastolic arrest, 49-50  
 Dieldrin, 21-2  
 Dinoflagellate, 48, 50  
 Dipteran larva, 75-80, 85, 91  
 Discharge rates, 29, 33-4  
*Dissodactylus mellittae*, 247-8  
 Dissolved oxygen, 3-5, 29-30, 35-6,  
 39, 189-90, 193, 209

- Distichlis spicata*, 109, 117, 119-21,  
 198, 200  
*Doridella obscura*, 90, 274  
*Doris verucosa*, 91  
*Dorosoma cepedianum*, 74-5, 77,  
 79-80  
 Double-crested cormorant, 302  
 Dudley, D. L., and M. H. Judy, 51-5  
 Dudley, J. E., 270-8, 282-5  
 Dunstan, D. M., and K. R. Tenore,  
 64-6  
 DuPaul, W. D., and J. D. McEachran,  
 205-7

## E

- Ectopods, 270, 275, 282  
 colonies, 271, 273-4  
 eggs, 272  
 larvae, 272-3, 275-6  
 sperm, 271  
 zooids, 271-7, 284  
*Edotea triloba*, 90, 263-4, 268  
 Eelgrass, 87, 95, 258, 270, 301  
*Elasmopus pocillimanus*, 90, 95  
*Electra*, 230  
*crustulenta*, 93, 271, 282-4  
*Eleocharis palustris*, 199  
*parvula*, 199  
*Elysia catula*, 90, 95  
*Emertina analoga*, 41  
*asiatica*, 41  
*emeritus*, 42  
*holthuisi*, 41  
*rathbunae*, 41  
*talpoida*, 41-6, 244  
 Engle, D. W., 289-91  
 Enzyme analysis, 19  
 Epifauna, 87, 225, 227  
 Epifaunal communities, 223-4  
*Epinephelus niveatus*, 301  
*Ercolania fuscata*, 89, 90, 92, 94-5  
*Erichsonella attenuata*, 89-90, 95, 268  
*Erichthonius brasiliensis*, 91  
*Eteone heteropoda*, 91  
*Eteopos crossotus*, 147  
*Eubranchipus bundyi*, 193  
*holmani*, 193  
*vernalis*, 193  
*Euceramus praelongus*, 245  
*Eumida sanguinea*, 91  
*Euplana gracilis*, 90  
*Eupleura caudata*, 91, 231-2  
 Eurasian milfoil, 278-9  
*Eurypanopeus depressus*, 249-51, 255  
*Exogone dispar*, 90, 263-4, 268

## F

- Faas, R. W., 181-7  
*Fagus gradifolia*, 199  
 Fairy shrimp, 193  
*Ferrissia* sp., 139  
 Fiddler crabs, 220, 289  
 LD<sub>50</sub>, 291  
 radiation sensitivity, 290  
 survival, 289  
 Fish eggs and larvae, 17  
 migration, 11  
 swimming performance, 11  
 speed, 11-4  
 Fishing pressure, 161, 163

- Fistularia tabacaria*, 301  
 Fleming, R. G., and R. P. Morgan, II,  
 V. J. Rasin, Jr., D. R. Heinle,  
 17-27  
 Flowers, M. G., 197-200  
 Forage fish/striped bass length ratio,  
 82-4  
 Forbes, D. C., and J. B. Genys, 131-4  
 Fourspined stickleback, 96  
 Fox, J. L., and M. S. Moyer, 1-10  
 Fringed flounder, 147  
*Fundulus heteroclitus*, 48, 127  
 Fusco, M., G. A. Bean, and W. L.  
 Klarman, 279-80

## G

- Gambusia* sp., 48  
*Gammarus* sp., 75-80  
*mucronatus*, 90, 264  
*Garveia franciscana*, 230-1  
 Gatz, A. J., Jr., V. S. Kennedy, and  
 J. A. Mihursky, 171-80  
 Gem clam, 67  
*Gemma gemma*, 67, 179  
 Genys, J. B., and D. C. Forbes, 131-4  
*Gerardia purpurea*, 198, 200  
 Gizzard shad, 74-5, 78-9, 81, 84  
 Glutamic oxaloacetic transaminase,  
 26  
*Glycinde solitaria*, 264  
*Glyptotendipes*, 139  
 Grass frogs, 48-9  
 shrimp, 289  
 Gray snapper, 301  
 trout, 85  
 Guppies, 49  
 Guthrie, J. F., and R. L. Kroger, 112-6  
*Gymnodinium breve*, 48


## H

- Haddock, 209  
 Haefner, P. A., Jr., 141-3  
*Haemulon*, 301  
*Halichondria bowerbanki*, 93, 228  
*Haliclona loosanoffi*, 93, 228  
*Halocordyle tiarella*, 93  
 Hamilton, D. H., Jr., and J. Yurchyk,  
 67-8  
*Haminoea solitaria*, 91  
 Hard clam, 48, 215-6, 225  
 Haven, D. S., and J. G. Loesch, 215-6  
 Heard, R., III, G. Taylor, and R. R.  
 Stickney, 147  
 Heavy metals, 224  
 analysis, 19-20  
 Heinle, D. R., V. J. Rasin, Jr., R.  
 F. Fleming, and R. P. Morgan  
 II, 17-27  
 Hendricks, J. D., and H. S. Tubiash,  
 145-6  
*Hermaea cruciata*, 91  
*Hespero diaptomus*, 194  
*Heteromastus filiformis*, 263-5  
*Hexagenia* sp., 75-81  
*Hexapanopeus angustifirmis*, 236,  
 251, 255  
*Hexarthra*, 192  
 Hibernation, suspension of, 285  
*Hibiscus palustris*, 191, 198

- Hickey, C. R., Jr., and H. M. Austin, 146-7
- Hippolyte pleuracantha*, 90, 242, 254
- zostericola*, 242
- Histological analysis, 19
- Hocutt, C. H., 11-6
- Hog chokers, 18-25
- Hooked mussels, 224, 232
- Huguenin, J. E., and K. R. Tenore, 280-2
- Hydra*, 55
- Hydractinia argo*, 93
- Hydrocotyle verticillatus*, 298
- Hydroides hexagona*, 90, 95
- Hydroids, 230, 283
- Hypericum* sp., 191
- I**
- Ichthyobdella rapax*, 91
- Ictalurus nebulosus*, 139, 166
- punctatus*, 11-5, 166
- Idotea baltica*, 90, 95, 268
- Illexopaca*, 189-90, 199
- Illyocypris acutifrons*, 139
- Irish pompano, 222
- Iron, 20-1, 24, 143
- Isopods, 74, 76-80, 85
- J**
- Jefferies, H. P., and J. R. Wilcox, 201-5
- Jellyfish, 171, 174, 176-8
- Jersey pine, 131
- Judy, M. H., and D. L. Dudley, 51-5
- Juncus*, 289
- effusus*, 121, 200
- gerardi*, 200
- Jussiaea repens* var. *glabrescens*, 189
- 91, 194
- K**
- Kalmia latifolia*, 199
- Keefe, C. W., and W. R. Boynton, 117-23
- Kennedy, V. S., J. A. Mihursky, and A. J. Gatz, Jr., 171-80
- Killifish, 48
- Klarman, W. L., G. A. Bean, and M. Fusco, 279-80
- Kroger, R. L., and J. F. Guthrie, 112-6
- L**
- Lactate dehydrogenase, 19, 22-3, 25
- Lake Venice disease, 278-9
- Largemouth bass, 11-5
- Larvae, 41-3, 98, 104
- decapod, 104
- Lawler, A. R., and W. A. Van Engel, 144-5
- Lead, 25
- Lebestes reticulatus*, 48
- Leiostomus xanthurus*, 75-80, 115
- Lepadella*, 191
- Lepidonotus variabilis*, 90
- Lepidopa websteri*, 244, 254
- Lepisosteus osseus*, 116
- Lepomis gibbosus*, 75-80, 166
- Leptochelia savignyi*, 91
- Leptodiptomus*, 194
- Leptogorgia virgulata*, 231
- Lethal temperature, 172, 179
- Leuciscus leuciscus*, 15
- Libinia* spp., 247
- dubia*, 91
- Limnoarilus hoffmeisteri*, 139
- Limulus*, 283
- Liquidamber styraciflua*, 189, 199
- Lirodendron tulipifera*, 199
- Lissodendoryx isodictyalis*, 228
- Lobolly pine, 134
- Loesch, J. G., and D. S. Haven, 215-6
- Loxothylacus panopaei*, 254
- texanus*, 145
- Lucifer faxoni*, 239
- Ludwigia palustris*, 191
- Lumbrineris tenuis*, 264-4
- Lutjanus griseus*, 301
- Lymnea* sp., 139
- Lymphocyte, 22-3
- Lysianopsis alba*, 91, 264
- Lytechinus variegatus*, 50
- Lythrum lineare*, 198
- M**
- Macoma balthica*, 179, 264-4
- Macrocyclus albidus*, 192-4
- Macromia*, 139
- Macrothrix rosea*, 191-2
- Magnesium, 143
- Mannose, 233
- Manooch III, C. S., 73-86
- Marsh, 197-200
- Marsh, G. A., 87-97
- Massengill, R. R., 138-414
- Maurer, D., and K. G. Miller, 219-21
- Mayflies, 78, 85
- McEachran, J. D., and W. D. DuPaul, 205-7
- McErlean, A. J., H. H. Zion, C. J. Moore, and G. A. Stevens, 160-70
- Medusa, 172, 174-5, 177, 179
- Megalopa, 41, 43
- Melanogrammus aeglefinus*, 209
- Melita appendiculata*, 90
- nitida*, 91
- Membranipora crustulenta*, 230
- membranacea*, 277, 282-4
- tenuis*, 94, 230, 274, 282-4
- Menidia menidia*, 75-7, 79-80, 96, 115, 146
- Mercenaria mercenaria*, 48-50, 65, 301
- Mercury, 20-1, 25
- Microciona prolifera*, 93, 228
- Micropogon undulatus*, 75-7, 79-80, 166
- Micropterus dolomieu*, 15
- salmoides*, 11-3, 15
- Microspogium*, 211
- Mihursky, J. A., A. J. Gatz, Jr., and V. S. Kennedy, 171-80
- Miller, K. G., and D. Maurer, 219-21
- Mitrella lunata*, 90, 95, 268
- Mola lanceolata*, 297
- mola*, 295-7
- Molgula manhattensis*, 67-8, 89-90, 92, 94, 229
- Monocanthus hispidus*, 301-2
- Monoculodes edwardsi*, 91
- Monostyla*, 191
- Moore, C. J., G. A. Stevens, A. J. McErlean, and H. H. Zion, 166-70
- Morgan, R. P. II, 303-5
- R. F. Fleming, V. J. Rasin, Jr., and D. R. Heinle, 17-27
- Morone americana*, 75-7, 79-80, 127
- saxatilis*, 15, 73, 75, 77, 79-80, 303
- Moss, S. A., 301-3
- Moyer, M. S., and J. L. Fox, 1-10
- Mugil curema*, 115
- Mus musculus*, 48
- Mussel shells, 211, 283
- Mya arenaria*, 90, 179, 233, 264
- Mycale cecilia*, 93
- Myrica cerifera*, 199
- Myriophyllum* sp., 191
- scabratum*, 191
- spicatum*, 279
- Myxidopsis bigelowi*, 90
- Mysids, 96
- Mytilus edulis*, 65
- N**
- Nassarius obsoletus*, 91
- vibex*, 91
- Naushonia crangonoides*, 159, 244, 254
- Neomysis americana*, 90
- Neopanope sayi*, 251-2, 255
- texana sayi*, 90
- Nephtys-Nucula* community, 94
- Nereiphylla fragilis*, 91
- Nereis succinea*, 90, 95, 263-5, 268
- Neutrophils, 22-3
- + basophils, 23
- Newman, M. W., and G. E. Ward, Jr., 68-9
- Nitrate, 106-110
- Nitrite, 106-9
- Nitrogen, 28
- Noetia ponderosa*, 233
- North Carolina pine, 131
- Northeast disease, 278
- Northern pipefish, 302
- Northern puffer, 302
- Notropis hudsonius*, 139
- spilopterus*, 11-15
- Nutrients, 29
- O**
- Ocean sunfish, 295-7
- Ocetes*, 139
- Oculina*, 94
- Ocypode quadrata*, 254
- Odontosyllis fulgurans*, 90
- Odostomia bisuturalis*, 90, 94
- dux*, 91
- impressa*, 90, 95-6
- Ogyrides limicola*, 241, 254
- Olencira praegustator*, 113
- Onychodiptomus*, 194
- Opsanus tau*, 166
- Orange filefish, 301
- Organophosphorus, 25
- Orth, R. J., 258-69
- Ovalipes ocellatus*, 250

- Oysters, 135-8, 224-6, 228-30, 232, 270, 288  
 beds, 223-4, 228, 232  
 drill, 93, 136, 225, 231-2  
 lease, 135  
 mortality, 135-8  
 shells, 211, 283  
 toadfish, 165-6, 168-9  
 Oxygen, 12, 14, 224  
*Oxyurostylis smithi*, 91
- P**
- Pagurus*, 239  
*longicarpus*, 244-5, 254  
*pollicaris*, 245  
 Paleochannel, 59-61  
*Palaemonetes* spp., 238, 241, 254  
*pugio*, 43, 91, 179, 241, 289-91  
*vulgaris*, 43, 91, 241  
*Panicum virgatum*, 200  
*Panopeus herbstii*, 252, 255  
*Paracaprilla tenuis*, 90  
*Paracerceis caudata*, 89-90, 95, 268  
*Paracyclops fimbriatus*, 191  
*poppei*, 192  
*Pelagia noctiluca*, 176  
*Penaeus*, 239, 254  
*aztecus*, 76  
*durorarium*, 76  
*Pepilys triacanthus*, 205  
*Perca flavescens*, 75-80, 166  
 Permit, 301  
*Perophora viridis*, 94, 230  
 Pesticides, 224  
 analysis, 19-20  
*Petalonia*, 211-4  
*fascia*, 211-4  
 pH, 29-30, 36, 39, 106, 189-90, 287  
*Phalacrocorax auritus*, 302  
*Philodina*, 191  
 Phosphorus, 28, 110  
 Photoperiod, 211-2, 214  
*Phragmites communis*, 125, 191, 199-200  
 Phytoplankton, 7, 9, 280  
 Pickett, D. H., and S. D. Sulkin, 292-4  
 Pigment spots, 41-3  
 Pink shrimp, 76  
*Pinnixa chaetopterana*, 248  
*cylindrica*, 248  
*sayana*, 248  
*Pinnotheres maculatus*, 248-9, 255  
*ostreum*, 249, 253  
*Pinus sylvestris*, 134  
*taeda*, 134, 199-200  
*virginiana*, 133-4, 199-200  
 Pipefish, 96  
*Pista palmata*, 90  
 Planehead filefish, 301  
 Plankton, 277  
*Platylas quadricornis*, 191  
*Platynereis dumerilii*, 90, 95, 268  
*Pleuroxus dentidulatus*, 191-2, 194  
*Podarke obscura*, 90, 268  
*Pogonias cromis*, 124, 128  
*Polyarthra* sp., 191  
*Polycerella conyna*, 90  
 Polychaete, 75, 77, 79-80, 85, 95-6  
*Polydora ligni*, 89-90, 92-94, 5, 263-5, 268
- Polygonum punctatum*, 198, 200  
*Polyonyx gibbesi*, 245  
*macrocheles*, 245  
*Pomatopus saltatrix*, 166  
*Pontederia chordata*, 125, 191  
*Portunus gibbesii*, 254  
*spinimanus*, 254  
*Potamilla neglecta*, 91  
 Primary productivity, 3, 6, 29  
*Prionospio heterobranchia*, 91, 263-6  
*Prorocentrum minimum*, 234  
*Prosuberites microsclerus*, 93  
 Protein skimmer, 18  
*Prunus serotina*, 190  
*Psectrotanypus*, 139  
*Pseudopleuronectes americanus*, 303  
 Pulsation rate, 171, 173-5, 176-7, 179  
 Pumpkinseed, 76, 166
- Q**
- Quahaug, 301  
*Quercus alba*, 199  
*palustris*, 189  
*phellos*, 189  
*primus*, 199  
*velutina*, 199
- R**
- Radiation, 289  
*Ralsia*, 211  
*bornetti*, 212  
*californica*, 212  
*clavata*, 212  
*confusa*, 212  
*fungiformis*, 213  
*verrucosa*, 213  
*Rana pipiens*, 48  
 Rasin, V. J., Jr., D. R. Heinle, R. F. Fleming, and R. P. Morgan II, 17-27  
 Red algae, 283  
 blood cell counts, 19, 22, 25  
 tide, 48  
 Respirometer, 11-2  
*Rhithropanopeus harrisii*, 179, 236, 252-3, 255, 292  
*Rhizostoma octopus*, 176-8  
 Rhodes, R. G., and M. V. Connell, 211-5  
 Rhomboid mojarra, 222  
*Rhus radicans*, 198-9  
*Ricciacarpus natans*, 191  
 RNAase, 20, 24-6  
 Rock crabs, 48  
*Rosa palustris*, 198-9  
 Rose, C. D., 135-8  
 Rope grass, 231  
*Rudilemboides* sp., 90  
*Ruppia*, 229, 283  
*Rypiticus*, 301
- S**
- Sabella microphthalmia*, 90, 95, 264, 268  
*Sabellaria vulgaris*, 91  
*Sagittaria latifolia*, 191, 199  
*Salicornia* spp., 117  
 Salinity, 29-32, 35, 37-8, 88, 94, 106-7, 136, 184, 200, 208-9, 220-1, 223-7, 231-3, 258-60, 267  
*Salmo trutta*, 300
- Salt marsh, 105, 110, 289  
 Sand shrimp, 141, 201-4  
 Sandifer, P. A., 98-104, 149-59, 235-57  
*Sargassum*, 94  
 Sasner, J. J., Jr., and F. P. Thurberg, 48-51  
*Sassafras albidum*, 199  
*Scapholeberis kingi*, 191-2  
*Scarus*, 301  
 Scherer, M. D., 298-300  
 Schubel, J. R., and C. F. Zabawa, 58-62  
*Scirpus olneyi*, 198-200  
*robustus*, 121, 198-200  
*validus*, 198  
*Scolecopedis viridis*, 139  
*Scoloplos fragilis*, 91  
*robustus*, 263  
 Scotch pine, 134  
 Scrub pine, 131  
*Scrupocellaria*, 64  
 Scuba, 182, 184, 225, 228, 230-2, 259  
 Scyphistomae, 55, 57  
 polyps, 55-8  
*Scytosiphon*, 212-4  
*lomentaria*, 211-2, 214  
 Seagrass, 94-5, 258  
 Sea hares, 50  
 nettle, 172  
 Seawater system, 280  
 Sediment, 181-6, 259, 261  
*Selene vomer*, 301  
*Sesarma cinereum*, 43, 246  
*reticulatum*, 246-7  
 Shield, P., 41-7  
 Shrimp, 75-9, 84-5, 149  
 larvae, 149-50, 157, 159  
 length-weight relationship, 201-2  
 zoea, 150-8  
 Silver, 25  
 perch, 76, 166  
 Silverside, 96  
*Simocephalus exspinosus*, 191-2, 194  
*vetulus*, 191-2, 194  
*Skeletonema costatum*, 65  
*Skistodiaptomus*, 194  
 Smith, B. A., and D. L. Thomas, 124-30  
 Smrchek, J. C., 188-96  
 Snails, 285-7  
 accessory boring organ, 287  
 behavior, 287  
 egg capsules, 287-8  
 predation, 287  
 young, 287  
 Snowy grouper, 301  
 Soft-shell clam, 233  
 Soule, D. F., J. D. Soule, and W. D. Banta, 62-4  
*Spartina*, 211-2, 289  
*alterniflora*, 109, 111, 117, 119-22, 125, 198-200  
*cynosoides*, 125  
*patens*, 110, 125, 198-200  
*townsendii*, 120  
 Species diversity, 260, 267  
*Spherooides maculatus*, 301-2  
*Spiochaetopterus oculatus*, 263-5  
*Spiophanes bombyx*, 264  
*Spirodela polyrhiza*, 191  
*Spirogyra*, 48-9

- Sponge, 93, 95  
 Spot, 76, 78, 81, 85, 164 6, 168  
 Spotfin butterflyfish, 301  
 shiner, 11-5, 139  
 Spruce pine, 131  
*Stenothoe gallensis*, 91  
*minuta*, 91  
*Stephanopyxis castata*, 65  
 Stevens, G. A., C. J. Moore, A. J. McErlean, and H. H. Zion, 160-70  
 Stickney, R. R., R. Heard III, and G. Taylor, 47  
 Stinky sponge, 228  
*Stragularia*, 212 3  
*Streblonema anomalum*, 211  
*Streblospio benedicti*, 263-5  
 Striped bass, 73 85, 164 6, 168 9, 303 eggs, 303-4  
 Striped mojarra, 145, 222  
*Strongylura marina*, 115, 301  
*Stylocheilus ellipticus*, 90, 96, 233  
 Sulkin, S. D., and D. H. Pickett, 292-4  
 Sun sponge, 228  
*Syngnathus fuscus*, 96, 302
- T**  
*Tautoglabrus adspersus*, 302  
 Taylor, G., R. R. Stickney, and R. Heard III, 147  
 Temperature, 2-6, 12-3, 15, 29, 34-5, 39, 88, 94, 106, 161, 223, 271, 285-7  
 tolerance, 177-9  
*Tenellia fuscata*, 90  
 Tenore, K. R., and J. E. Huguenin, 280-2  
 and W. M. Dunstan, 64 6  
*Tetrostemma elegans*, 90, 96  
*jeani*, 91  
*vermiculus*, 91
- Thais*, 136  
*Thalassia*, 95  
 Thomas, D. L., and B. A. Smith, 124-30  
 Thrombocytes, 22-3  
 Thurberg, F. P., and J. J. Sasner, Jr., 48-51  
*Thyone briareus*, 233  
 Tide, 28-34, 38  
*Trachinotus falcatus*, 301  
*Trichocerca* spp., 191  
*Triphora nigrocincta*, 90  
*Tropocyclops prasinus*, 191 2, 194  
 Trout, 300  
 Tubiash, H. S., and J. D. Hendricks, 145-6  
*Tubularia*, 57  
*Tubulanus pellucidus*, 91  
 Tunicate, 89, 94, 229, 275, 277  
 Turbidity, 37, 39  
*Turbonilla interrupta*, 91  
*Typha angustifolia*, 198-200  
*latifolia*, 198-200
- U**  
*Uca*, 220, 238-9, 247, 253  
*minax*, 220-1, 289-91  
*pugilator*, 221, 289-91  
*pugnax*, 220-1, 289, 291  
*Upogebia affinis*, 98-100, 102-4, 243, 253  
*deltaura*, 104  
*savigny*, 104  
*stellata*, 104  
*Urosalpinx cinera*, 90, 93, 95-6, 231-2, 285-8  
*cinera follyensis*, 285-6
- V**  
*Valisneria americana*, 199  
 Van Engel, W. A., and A. R. Lawler, 144 5  
 Van Zandt, D., and M. R. Carriker, 285-8  
*Victorella pavidia*, 230  
 Virginia pine, 131 3  
 mortality, 131  
 Volcano sponge, 228
- W**  
 Ward, G. E., Jr., and M. W. Newman, 68-9  
 Weakfish, 145, 166  
 White blood cell counts, 19, 22, 25  
 catfish, 81, 164-6, 169  
 mice, 48-9  
 perch, 18 25, 78-9, 163 6, 168 9  
 Wilcox, J. R., and H. P. Jefferies, 201-5  
 Winter flounder, 303  
 eggs, 303-4
- Y**  
 Yellow catfish, 81  
 perch, 76, 81, 165-6, 168 9  
 Yurchyk, J., and D. H. Hamilton, Jr., 67-8
- Z**  
 Zabawa, C. F., and J. R. Schubel, 58 62  
 Zinc, 21 2, 25, 65, 143 4  
 Zion, H. H., A. J. McErlean, G. A. Stevens, and C. J. Moore, 160-70  
*Zizania aquatica*, 125  
 Zoa, 41 2, 44 6  
 Zooplankton, 29, 188 9, 192 3, 195  
*Zostera*, 258, 264 8, 270, 277, 283  
*marina*, 52, 87 9, 92 5, 258



# CHESAPEAKE SCIENCE

A REGIONAL JOURNAL OF RESEARCH AND PROGRESS ON NATURAL RESOURCES

*Volume XIV, 1973*

MARTIN L. WILEY

*Managing Editor*

*Published By*

Natural Resources Institute of the  
University of Maryland  
Chesapeake Biological Laboratory  
Solomons, Maryland  
L. E. Cronin, Director



## Table of Contents

### NUMBER 1, MARCH 1973

FOX, J. L., AND M. S. MOYER. Some effects of a power plant on marine microbiota .....	1
HOCUTT, CHARLES H. Swimming performance of three warmwater fishes exposed to a rapid temperature change .....	11
MORGAN, R. P., II, R. F. FLEMING, V. J. RASIN, JR., AND D. R. HEINLE. Sublethal effects of Baltimore Harbor water on the white perch, <i>Morone americana</i> , and the hogchoker, <i>Trinectes maculatus</i> .....	17
DEWITT, PIET, AND F. C. DAIBER. The hydrography of the Broadkill River Estuary, Delaware .....	28
SHIELD, PAMELA. The chromatophores of <i>Emerita talpoida</i> (Say) zoeae considered as a diagnostic character .....	41

### Short Papers and Notes

THURBERG, F. P., AND J. J. SASNER, JR. Biological activity of a cell extract from the dinoflagellate, <i>Amphidinium carteri</i> .....	48
DUDLEY, D. L., AND M. H. JUDY. Seasonal abundance and distribution of juvenile blue crabs in Core Sound, N. C. 1965-68 .....	51
COYNE, J. A. An investigation of the dynamics of population growth and control in scyphistomae of the scyphozoan <i>Aurelia aurita</i> .....	55
SCHUBEL, J. R., AND C. F. ZABAWA. Susquehanna River paleochannel connects lower reaches of Chester, Miles, and Choptank estuaries ...	58
BANTA, W. C., J. D. SOULE, AND DOROTHY F. SOULE. Preparing whole mounts of hard parts of recent Bryozoa .....	62
TENORE, K. R., AND W. M. DUNSTAN. Growth comparisons of oysters, mussels and scallops cultivated on algae grown with artificial medium and treated sewage effluent .....	64
HAMILTON, D. H., AND J. YURCHYK. Biomass characteristics of the ascidian <i>Molgula manhattensis</i> (DeKay) .....	67
NEWMAN, M. W., AND G. E. WARD, JR. A technique for the immobilization of the chelae of blue crabs and identification of individual animals .....	68

### Reviews

1. Environment—Resources, Pollution and Society. (ed. W. W. Murdoch) Reviewed by Victor S. Kennedy .....	70
2. Ecology and the Quality of our Environment. (Charles H. Southwick) Reviewed by Victor S. Kennedy .....	70

### NUMBER 2, JUNE 1973

MANOOCH, C. S., III. Food habits of yearling and adult striped bass, <i>Morone saxatilis</i> (Walbaum), from Albemarle Sound, North Carolina ..	73
---	----



MARSH, G. A. The <i>Zostera</i> epifaunal community in the York River, Virginia .....	87
SANDIFER, P. A. Larvae of the burrowing shrimp, <i>Upogebia affinis</i> , (Crustacea, Decapoda, Upogebiidae) from Virginia plankton .....	98
AURAND, D., AND F. C. DAIBER. Nitrate and nitrite in the surface waters of two Delaware salt marshes .....	105
KROGER, R. L., AND J. F. GUTHRIE. Additional anomalous menhaden and other fishes .....	112
KEEFE, CAROLYN W., AND W. R. BOYNTON. Standing crop of salt marshes surrounding Chincoteague Bay, Maryland-Virginia .....	117
THOMAS, D. L., AND B. A. SMITH. Studies of young of the black drum, <i>Pogonias cromis</i> , in low salinity waters of the Delaware estuary .....	124

### Short Papers and Notes

GENYS, J. B., AND D. C. FORBES. Virginia pines, <i>Pinus virginiana</i> , from Chesapeake Bay region rank high in growth rate in Tennessee .....	131
ROSE, C. D. Mortality of market-sized oysters ( <i>Crassostrea virginica</i> ) in the vicinity of a dredging operation .....	135
MASSENGILL, R. R. Change in feeding and body condition of brown bullheads overwintering in the heated effluent of a power plant .....	138
HAEFNER, P. A., JR. Length-weight relationship of the sand shrimp, <i>Crangon septemspinosa</i> .....	141
BOON, D. D. Iron, zinc, magnesium, and copper concentrations in body meat of the blue crab, <i>Callinectes sapidus</i> .....	143
LAWLER, A. R., AND W. A. VAN ENGEL. Triple regeneration of the fifth pereopod of a blue crab, <i>Callinectes sapidus</i> Rathbun .....	144
TUBIASH, H. S., AND J. D. HENDRICKS. A possible lipoma in the weakfish, <i>Cynoscion regalis</i> (Bloch and Schneider) .....	145
AUSTIN, H. M., AND C. R. HICKEY, JR. Spinal curvature in the Atlantic silversides, <i>Menidia menidia</i> (Linnaeus), and the Atlantic menhaden, <i>Brevoortia tyrannus</i> (Latrobe) .....	146
TAYLOR, G., R. R. STICKNEY, AND R. HEARD, III. Two anomalous flounders (Bothidae, <i>Etropus crossotus</i> ) from Georgia estuarine waters .....	147

### Announcement

The Fishes of Chesapeake Bay, by S. F. Hildebrand and W. C. Schroeder, is again available .....	148
---	-----

### NUMBER 3, SEPTEMBER 1973

SANDIFER, P. A. Mud shrimp ( <i>Callianassa</i> ) larvae (Crustacea, Decapoda, Callianassidae) from Virginia plankton .....	149
MOORE, C. J., G. A. STEVENS, A. J. MCERLEAN, AND H. H. ZION. A sport fishing survey in the vicinity of a steam electric station on the Patuxent estuary, Maryland .....	160

GATZ, A. J., JR., V. S. KENNEDY, J. A. MIHURSKY. Effects of temperature on activity and mortality of the scyphozoan medusa, <i>Chrysaora quinquecirrha</i> .....	171
FAAS, R. W. Sedimentational regimes of the York River, southeastern Virginia, as shown by mass properties .....	181
SMRCHEK, J. C. Comparative ecology and zooplankton of two Maryland ponds including a congeneric occurrence of <i>Diaptomus</i> (Calanoida Copepoda) .....	188

#### Short Papers and Notes

FLOWERS, MARGARET G. Vegetational zonation in two successional brackish marshes of the Chesapeake Bay .....	197
WILCOX, J. R., AND H. P. JEFFRIES. Growth of the sand shrimp, <i>Cran- gon septemspinosa</i> , in Rhode Island .....	201
DUPAUL, W. D., AND J. D. MCEACHRAN. Age and growth of the butter- fish, <i>Peprilus triacanthus</i> , in the lower York River .....	205
CHITTENDEN, M. E., JR. Salinity tolerance of young American shad, <i>Alosa sapidissima</i> .....	207
RHODES, R. G., AND MARY U. CONNELL. The biology of brown algae on the Atlantic Coast of Virginia. II. <i>Petalonia fascia</i> and <i>Scytosiphon lomentaria</i> .....	211
LOESCH, J. G., AND D. S. HAVEN. Estimates of hard clam abundance from hydraulic escalator samples by the Leslie method .....	215
BYRNE, R. J., AND J. D. BOON III. An inexpensive, fast response cur- rent speed indicator .....	217
MILLER, K. G., AND D. MAURER. Distribution of the fiddler crabs, <i>Uca pugnax</i> and <i>Uca minax</i> , in relation to salinity in Delaware rivers .....	219
AUSTIN, H. M. Northern range extension of the rhomboid mojarra, <i>Diapterus rhombeus</i> Cuvier and Valenciennes (Gerreidae) .....	222

#### NUMBER 4, DECEMBER 1973

ANDREWS, J. D. Effects of Tropical Storm Agnes on epifaunal inverte- brates in Virginia estuaries .....	223
SANDIFER, P. A. Distribution and abundance of decapod crustacean larvae in the York River Estuary and adjacent lower Chesapeake Bay, Virginia, 1968-1969 .....	235
ORTH, R. J. Benthic infauna of eelgrass, <i>Zostera marina</i> , beds .....	258
DUDLEY, JUDITH E. Observations on the reproduction, early larval de- velopment, and colony astogeny of <i>Conopeum tenuissimum</i> (Canu) ....	270

#### Short Papers and Notes

BEAN, G. A., M. FUSCO, AND W. L. KLARMAN. Studies on the "Lake Venice Disease" of Eurasian milfoil in the Chesapeake Bay .....	279
TENORE, K. R., AND J. E. HUGUENIN. A flowing experimental system with filtered and temperature-regulated seawater .....	280
DUDLEY, JUDITH E. A note on the taxonomy of three membraniporine ectoprocts from Chesapeake Bay .....	282

CARRIKER, M. R., AND D. VAN ZANDT. Activity of the marine gastropod <i>Urosalpinx cinerea</i> in the absence of hibernation .....	285
ENGEL, D. W. The radiation sensitivities of three species of fiddler crabs ( <i>Uca pugilator</i> , <i>U. pugnax</i> , and <i>U. minax</i> ) .....	289
SULKIN, S. D., AND DEBORAH L. PICKETT. Effect of agitation in the culture of the zoeal stages of the mud crab, <i>Rhithropanopeus harrisi</i> ..	292
ANDERSON, W. D., JR., AND D. M. CUPKA. Records of the ocean sunfish, <i>Mola mola</i> , from the beaches of South Carolina and adjacent waters .....	295
SCHERER, M. D. Some skeletal anomalies in American shad ( <i>Alosa sapidissima</i> ) with an example of vertebral curvature in blueback herring ( <i>A. aestivalis</i> ) .....	298
MOSS, S. A. The responses of planehead filefish, <i>Monocanthus hispidus</i> (Linnaeus), to low temperature .....	300
MORGAN, RAYMOND P. II. Marking fish eggs with biological stains ..	303

#### Reviews

Shallow-water Gammaridean Amphipoda of New England (by E. L. Bousfield). Reviewed by D. HEYWARD HAMILTON, JR. ....	306
Index to Volume 14 .....	309

